



- SLIDING PATCH PANEL

The terminal box is made of HIGH-QUALITY COLD-ROLLED STEEL PLATE



DESCRIPTIONS

D-CONNECT's Rack Mount Fiber Optic Patch Panels are 19" inch size and modular design. Slide-Out Rack-Mount Panel provides a simple, high-density, low profile solution for easy access and management of fiber optic terminations in a 1U-rack space design. The Rack-Mount Sliding Panel accommodates up to 96 fibers in ST, SC, MTRJ, LC, LSH and FC connector interfaces, optical adapters on the panels could be SC, ST, FC, LC, LSH etc. types optional.

It comes with a number of cable management devices for organizing cables entering and exiting the panel. This Panels are equipped with slack-fiber storage spools, and Splicing tray. Each enclosure features front and rear removable metal covers for quick and easy installation and maintenance. The forward and backward sliding tray allows installers to access the fiber adapter panels as moves, adds and changes are required.

- SLIDING PATCH PANEL

FEATURES

- The terminal box is made of high-quality cold-rolled steel plate, the box surface using epoxy electrostatic spray, corrosion resistant, anti-aging;
- It is used for cable terminal, fixed, asylum and protection of fiber and pigtail splice and the remaining fiber.
- Plastic parts using flame retardant ABS material components;
- Thickness of metal is 1.2 mm and the shape is with sliding rail easy to use.
- The box is assembled with SC adapter (insertion loss ≤0.1dB) and 1.5m bundle pigtail.
- The panel size could be 1U\2U\3U\4U or more in any color of your choice.
- The panel can be designed with either three/two adaptor plate. It's easy to install and operate.



Model	PP-24	PP-48	PP-72	PP-96	
Size	482*300*1U	482*300*2U	482*300*3U	482*300*4U	
Color	Black, Grey or Customization				
Metal Thickness	1.0mm or 1.2mm				

Packing Information

Quantity	5pcs/cartons
Weight	24kg/cartons
Size	515*360*355 mm/cartons

- SLIDING PATCH PANEL

Packing List

Туре	PP-24	PP -48	PP -72	PP -96		
Вох	1pcs	1pcs	1pcs	1pcs		
Sleeves	24 pcs or 48 pcs	48 pcs or 96 pcs	72 pcs or 144 pcs	96 pcs or 192 pcs		
Adaptor available	24pcs- SC/Simplex or LC/Duplex	48pcs- SC/Simplex or LC/Duplex	72pcs- SC/Simplex or LC/Duplex	96pcs- SC/Simplex or LC/Duplex		
Screw M4*30	4 pcs					
Type tie	4 pcs					
Self-adhesive Tape	1 roll					
Bundle pigtail	2PCS	4PCS	2PCS	4PCS	2PCS	



This is splice tray, it used for holder sleeves that spliced fiber.



Sliding type with drawer, when operated, you can pull it out, its easy to operate.




This is entry of cable.
Each one can holder 3-16 mm cable to put in.



Cable management, used for fix cable and manager fiber.

- SLIDING PATCH PANEL

Ordering Information



No. of Adapter Holes

8 Adapter Holes = 8 12 Adapter Holes = 12

24 Adapter Holes = 24 48 Adapter Holes = 48

96 Adapter Holes = 96 144 Adapter Holes = 144 Type of Adapter SC = SCU

SCA = SCA

LC = LCU ST = STU

FC = FCU

Pigtails

Loaded with pigtails = P

Not Loaded with Pigtails = NP

Style of Adapter Simplex = S

Duplex = D

Quad = Q

Type of Fiber

Single Mode = S

Multi Mode = M

No. of Adapters Fitted

8, 12, 24.....288

No Adapters = UL

19' RM 24 PORT PATCH PANEL WITH 24 SC SIMPLEX ADAPTERS, NO PIGTAILS

